

Form PTO-1390 (Rev. 5-93)		US DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NO. H 3174 PCT/US	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (if known) sec. 17 CFR 1.5 <div style="font-size: 1.5em; font-weight: bold; text-align: center;">09/446435</div>	
INTERNATIONAL APPLICATION NO. PCT/EP98/08372		INTERNATIONAL FILING DATE December 21, 1998		PRIORITY DATE CLAIMED December 30, 1997	
TITLE OF INVENTION SHAPED BODIES OF DISHWASHING DETERGENT WITH CHLORINE BLEACHING AGENTS					
APPLICANT(S) FOR DO/EO/US Juergen HAERER, Thomas Otto GASSENMEIER, Christian NITSCH, Hans-Josef BEAUJEAN, Bernd RICHTER and Thomas MOELLER					
Applicant herewith submits to the United States Designated/Elected Office (EO/DO/US) the following items and other information:					
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39 (1). 4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input checked="" type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input checked="" type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 					
Items 11. to 16. below concern other document(s) or information included:					
<ol style="list-style-type: none"> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 14. <input type="checkbox"/> A substitute specification. 15. <input type="checkbox"/> A change of power of attorney and/or address letter. 16. <input type="checkbox"/> Other items or information.: 					
"Express Mail" mailing label number <u>EL 444424517 US</u>					

U.S. Application No. (If known see CFR 1.30) 09/446435	INTERNATIONAL APPLICATION NO. PCT/EP98/08372	ATTORNEY'S DOCKET NUMBER H 3174 PCT/US
---	---	---


17. ■ The following fees are submitted: Basic National Fee (37 CFR 1.492(a)(1)-(5)): Search Report has been prepared by the EPO or JPO.....\$840.00 International preliminary examination fee paid to USPTO (37CFR 1.482)\$670.00 No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37CFR 1.445(a)(2)).....\$760.00 Neither international preliminary examination fee (37CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO....\$970.00 International preliminary examination fee paid to USPTO (37CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4).....\$96.00 ENTER APPROPRIATE BASIC FEE AMOUNT =	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left;">CALCULATIONS</th> <th style="text-align: left;">PTO USE ONLY</th> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> <tr> <td>\$ 0</td> <td>00</td> </tr> <tr> <td colspan="2">TOTAL OF ABOVE CALCULATIONS =</td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> <tr> <td>\$ 0</td> <td>00</td> </tr> <tr> <td colspan="2">SUBTOTAL =</td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> <tr> <td>\$ 0</td> <td>00</td> </tr> <tr> <td colspan="2">TOTAL NATIONAL FEE =</td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> <tr> <td>\$ 0</td> <td>00</td> </tr> <tr> <td colspan="2">TOTAL FEES ENCLOSED =</td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> <tr> <td>Amount to be: refunded</td> <td>\$-----</td> </tr> <tr> <td>charged</td> <td>\$840.00</td> </tr> </table>	CALCULATIONS	PTO USE ONLY			\$ 840	00	\$ 0	00	TOTAL OF ABOVE CALCULATIONS =		\$ 840	00	\$ 0	00	SUBTOTAL =		\$ 840	00	\$ 0	00	TOTAL NATIONAL FEE =		\$ 840	00	\$ 0	00	TOTAL FEES ENCLOSED =		\$ 840	00	Amount to be: refunded	\$-----	charged	\$840.00
CALCULATIONS	PTO USE ONLY																																		
\$ 840	00																																		
\$ 0	00																																		
TOTAL OF ABOVE CALCULATIONS =																																			
\$ 840	00																																		
\$ 0	00																																		
SUBTOTAL =																																			
\$ 840	00																																		
\$ 0	00																																		
TOTAL NATIONAL FEE =																																			
\$ 840	00																																		
\$ 0	00																																		
TOTAL FEES ENCLOSED =																																			
\$ 840	00																																		
Amount to be: refunded	\$-----																																		
charged	\$840.00																																		

Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date 37 (CFR 1.492(e)). <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Claims</th> <th style="width: 20%;">Number filed</th> <th style="width: 20%;">Number Extra</th> <th style="width: 20%;">Rate</th> <th style="width: 20%;"></th> <th style="width: 20%;"></th> </tr> <tr> <td>Total Claims</td> <td>1 - 20 =</td> <td>0</td> <td>0 X \$18.00</td> <td>\$ 0</td> <td>00</td> </tr> <tr> <td>Independent Claims</td> <td>1 - 3 =</td> <td>0</td> <td>0 X \$78.00</td> <td>\$ 0</td> <td>00</td> </tr> <tr> <td colspan="3">Multiple dependent claims (s)(if applicable) 0</td> <td>+ \$260.00</td> <td>\$ 0</td> <td>00</td> </tr> </table> TOTAL OF ABOVE CALCULATIONS = Reduction by ½ for filing by small entity, if applicable. Verified Small Entity statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28). SUBTOTAL = Processing fee of \$130.00 for furnishing the English translation later the <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37CFR 1.492(f)). TOTAL NATIONAL FEE = Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property TOTAL FEES ENCLOSED =	Claims	Number filed	Number Extra	Rate			Total Claims	1 - 20 =	0	0 X \$18.00	\$ 0	00	Independent Claims	1 - 3 =	0	0 X \$78.00	\$ 0	00	Multiple dependent claims (s)(if applicable) 0			+ \$260.00	\$ 0	00	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>\$ 0</td> <td>00</td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> <tr> <td>\$ 0</td> <td>00</td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> <tr> <td>\$ 0</td> <td>00</td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> <tr> <td>\$ 0</td> <td>00</td> </tr> <tr> <td>\$ 840</td> <td>00</td> </tr> </table>	\$ 0	00	\$ 840	00	\$ 0	00	\$ 840	00	\$ 0	00	\$ 840	00	\$ 0	00	\$ 840	00
Claims	Number filed	Number Extra	Rate																																						
Total Claims	1 - 20 =	0	0 X \$18.00	\$ 0	00																																				
Independent Claims	1 - 3 =	0	0 X \$78.00	\$ 0	00																																				
Multiple dependent claims (s)(if applicable) 0			+ \$260.00	\$ 0	00																																				
\$ 0	00																																								
\$ 840	00																																								
\$ 0	00																																								
\$ 840	00																																								
\$ 0	00																																								
\$ 840	00																																								
\$ 0	00																																								
\$ 840	00																																								

a. ☐ A check in the amount of \$_____ to cover the above fees is enclosed.
 b. ■ Please charge my Deposit Account No. 01-1250 in the amount of \$840.00 to cover the above fees. A triplicate copy of this sheet is enclosed. Order No. 99-1614.
 c. ■ The Assistant Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 01-1250. A triplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO: Henkel Corporation, Law Dept.
 2500 Renaissance Blvd, Suite 200
 Gulph Mills, PA 19406


 SIGNATURE
 Glenn E. J. Murphy
 NAME ATTORNEY FOR APPLICANT
 33,539
 REGISTRATION NUMBER

Express Mail
Label No. EL 444424517 US

PATENT
Docket H 3174 PCT/US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re: PCT/EP98/08372

International Filing Date: 21 December 1998
Priority Date Claimed: 30 December 1997
Applicant: HAERER, et al.
Title: SHAPED BODIES OF DISHWASHING
DETERGENT WITH CHLORINE
BLEACHING AGENTS
Applicants' Reference: H 3174 PCT/US

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Box PCT
Washington, DC 20231

Attn: DO/EO/US

Sir:


Before examining this application, please enter these amendments:

IN THE CLAIMS:

Please cancel claims 2 to 20 without prejudice.

Should any fees be deemed necessary to enter this amendment, please charge them to Deposit Account No. 01-1250.

Respectfully submitted,



Glenn E.J. Murphy
Reg. No. 33,539
Attorney for Assignee and Applicants
(610) 278-4926

Henkel Corporation
Patent Department
2500 Renaissance Blvd., Suite 200
Gulph Mills, PA 19406
GEM/lmd

003030-2244450



PATENT
Docket No. H 3174 PCT/US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of HAERER, et al.

Serial No.: 09/446,435 Examiner: Unassigned
Filed: Art Unit:
TITLE: SHAPED BODIES OF DISHWASHING DETERGENT WITH
CHLORINE BLEACHING AGENTS

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the US Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC 20231, on May 5, 2000.

May 5, 2000
Date

James M. Olsen
Signature of Certifier
James M. Olsen
Typed or printed name of certifier

APPOINTMENT OF ASSOCIATE ATTORNEY AND/OR AGENT

I, Stephen D. Harper, (Reg. No. 33,243), hereby appoint Connolly, Bove, Lodge & Hutz, of Wilmington, Delaware, and their attorneys/agents as listed below, as Associate Attorney and/or Agent as provided in 37 CFR 1.34 to transact all business with the U.S. Patent and Trademark Office in connection with the above application and any continuation, division, and/or continuation-in-part thereof, and hereby ratify any and all acts done prior to such appointment in connection with the above application.

Rudolf E. Hutz	Reg. No. 22,397
John D. Fairchild	Reg. No. 19,756
Harold Pezzner	Reg. No. 22,112
Richard M. Beck	Reg. No. 22,580
Paul E. Crawford	Reg. No. 24,397
Patricia Smink Rogowski	Reg. No. 33,791
Robert G. McMorrow, Jr.	Reg. No. 30,962
Ashley I. Pezzner	Reg. No. 35,646
William E. McShane	Reg. No. 32,707
Mary W. Bourke	Reg. No. 30,982
Gerard M. O'Rourke	Reg. No. 39,794

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

H 3174 PCT/US


James M. Olsen	Reg. No. 40,408
Francis DiGiovanni	Reg. No. 37,310
Eric J. Evain	Reg. No. 42,517
Daniel C. Mulveny	Reg. No. 45,897
Elliot C. Mendelson (Agent)	Reg. No. 42,878
Christine M. Hansen	Reg. No. 40,634

Address all correspondence to:

Connolly, Bove, Lodge & Hutz
1220 Market Street
P.O. Box 2207
Wilmington, DE 19899

Direct all telephone calls to: 302-658-9141

Respectfully submitted,


Stephen D. Harper
(Reg. No. 33,243)
Attorney of Record
(610) 278-4927

Date: May 3, 2000

H 3174 PCT / 17.11.98

Dishwasher Detergent Shaped Bodies Containing Chlorine Bleaching
Agents

This invention relates to deterative shaped bodies, primarily tablets, such as dishwasher tablets, laundry detergent tablets, bleach tablets, stain remover tablets or water softening tablets, for use in the home, more particularly for use in machines, to a process for their production and to their use.

Deterative shaped bodies, more particularly tablets, have a number of advantages over powder-form compositions, such as easy handling, simple dosage and low packaging volumes.

Unfortunately, problems arise out of the fact that, to achieve adequate dimensional stability and fracture resistance, relatively high pressures have to be applied in the compression of the powder-form ingredients. In view of the heavy compaction which they undergo, corresponding tablets often show inadequate storage stability in regard to sensitive ingredients (bleaching agent, perfume, enzymes, silver protectors, dyes, surfactants), reduced performance (particularly against such soils as tea, milk, starch) by comparison with comparable amounts of active ingredient made up in another form, occasionally inadequate protection of sensitive materials to be cleaned and impaired disintegration and dissolving properties in use.

According to some patents belonging to the prior art, some of these problems are said to have been solved.

In many cases, however, the consumer is unable to reproduce the performance advantages described in those documents. Accordingly, an important problem confronting manufacturers of deterative shaped bodies is to satisfy the consumer.

Accordingly, the problem addressed by the present invention was to

provide high-performance, easy-to-handle deterative shaped bodies, above all dishwasher tablets, laundry detergent tablets, stain remover tablets or water softener tablets for use in the home, more particularly for use in machines, with high storage stability, minimal packaging volume, a good
5 fragrance profile and a defined solubility profile which, above all, would guarantee high consumer satisfaction.

This problem has surprisingly been solved by a shaped body in which an ingredient (I) is mainly located in a defined region, this region representing no more than 40% by volume of the shaped body.

10 Accordingly, the present invention relates to a shaped body containing builders, alkali sources, bleaching agents, enzymes and surfactants, characterized in that more than 80% by weight of a mixture of active substance (I) in the form of a bleaching agent from the group of chlorine bleaching agents and a fusible component for controlling solubility
15 selected from the group of surfactants, paraffins, microwaxes and relatively high molecular weight polyethylene glycols is present in a region of no greater than 40% by volume.

Besides the bleaching agent from the group of chlorine bleaching agents, the ingredient (I) may also be a bleach activator, a silver protector and/or a soil-release compound, an enzyme, a surfactant or a component
20 or a compound for controlling solubility. However, the ingredient (I) may also be a mixture of these components.

In one particularly preferred embodiment, the ingredient (I) is a mixture of a component or a compound for controlling solubility and at least
25 one other ingredient from the group consisting of bleaching agent and/or bleach activator and/or silver protector and/or soil-release compound and/or enzyme and/or a surfactant.

The solubility of the region containing the ingredient (I), the surface, the nature of the compression and storage stability can also have a critical
30 bearing on the properties of the tablet.

According to the invention, it is favorable if the region containing

more than 80% by weight, preferably more than 90% by weight, more preferably more than 95% by weight and, most preferably, 100% by weight of an ingredient (I) present is surrounded in exactly three directions in space by other ingredients of the shaped body.

5 In another preferred embodiment of the invention, at least one region containing more than 80% by weight, preferably more than 90% by weight, more preferably more than 95% by weight and most preferably 100% by weight of an ingredient (I) present dissolves more than 5%, preferably more than 10%, more preferably more than 25%, most
10 preferably more than 50% and, in one particularly advantageous embodiment, more than 100% faster than the remaining region and/or regions of the shaped body.

According to the invention, it is also positive if more than 80% by weight, preferably more than 90% by weight, more preferably more than
15 95% by weight and most preferably 100% by weight of an ingredient (I) present is contained in a region of no greater than 40% by volume, preferably between 5 and 30% by volume, more preferably between 10 and 25% by volume and most preferably between 15 and 20% by volume of the shaped body.

20 The overall result can also be desirably influenced if the increase in weight of the region containing ingredient (I) during storage under normal domestic conditions, i.e. between 15 and 30°C and between 5 and 55% and preferably between 15 and 35% air humidity for a period of 30 days, preferably 60 days and more preferably 90 days is no more than 50% by
25 weight, preferably no more than 40% by weight, more preferably no more than 30% by weight, most preferably no more than 20% by weight and, in one particularly advantageous embodiment, no more than 10% by weight and, in the most favorable case, no more than 5% by weight.

The overall result can also be desirably influenced if the loss of
30 active substance (I) of the region during storage under normal domestic conditions, i.e. between 15 and 30°C and between 5 and 55% and

preferably between 15 and 35% air humidity for a period of 30 days, preferably 60 days and more preferably 90 days is no more than 50% by weight, preferably no more than 40% by weight, more preferably no more than 30% by weight, most preferably no more than 20% by weight and, in one particularly advantageous embodiment, no more than 10% by weight and, in the most favorable case, no more than 5% by weight.

The overall result can also be desirably influenced if the absorption maximum of a 1% solution of a colored region or a colored component during storage under normal domestic conditions, i.e. between 15 and 30°C and between 5 and 55% and preferably between 15 and 35% air humidity for a period of 30 days, preferably 60 days and more preferably 90 days is no more than 100 wave numbers, preferably no more than 50 wave numbers, more preferably no more than 30 wave numbers, most preferably no more than 20 wave numbers and, in one particularly advantageous embodiment, no more than 10 wave numbers and, in the most favorable case, no more than 5 wave numbers.

The shaped body according to the invention is also positively influenced if the region containing more than 80% by weight, preferably more than 90% by weight, more preferably more than 95% by weight and, most preferably, 100% by weight of an ingredient (I) present is surrounded in exactly three directions in space by other ingredients of the shaped body.

Solubility

The solubility can be influenced by components and/or compounds for accelerating solubility (disintegrators) or retarding solubility.

Suitable disintegrators are any of the disintegrators known from the prior art. Particular reference is made in this regard to **Römpp (9th Edition, Vol. 6, page 4440)** and **Voigt "Lehrbuch der pharmazeutischen Technologie" (6th Edition, 1987)**. Particularly suitable disintegrators are such materials as starch, cellulose and cellulose derivatives, alginates,

dextrans, crosslinked polyvinyl pyrrolidones and others; systems of weak acids and carbonate-containing disintegrators, more particularly citric acid and tartaric acid in combination with hydrogen carbonate or carbonate and polyethylene glycol sorbitan fatty acid ester.

5 According to International patent application **WO-A-96/06156** also, it can be of advantage to incorporate disintegrators in detergent tablets. In this case, too, typical disintegrators are said to include microcrystalline cellulose, sugars, such as sorbitol, and layered silicates, more particularly fine-particle and swellable layered silicates of the bentonite and smectite
10 type. Effervescent substances, such as citric acid, bisulfate, bicarbonate, carbonate and percarbonate, are also mentioned as possible disintegration aids.

European patent applications **EP-A-0 466 485**, **EP-A-0 522 766**, **EP-A-0 711 827**, **EP-A-0 711 828** and **EP-A-0 716 144** describe the production
15 of deterative tablets in which compacted particulate material with a particle size of 180 to 2000 μm is used. The resulting tablets may have both a homogeneous structure and a heterogeneous structure. According to **EP-A-0 522 766**, at least those particles which contain surfactants and builders are coated with a solution or dispersion of a binder/disintegration aid, more
20 particularly polyethylene glycol. Other binders/disintegration aids are - again - the already repeatedly described and known disintegrators, for example starches and starch derivatives, commercially available cellulose derivatives, such as crosslinked and modified cellulose, microcrystalline cellulose fibers, crosslinked polyvinyl pyrrolidones, layered silicates, etc.
25 Weak acids, such as citric acid or tartaric acid which, in conjunction with carbonate-containing sources, lead to effervescent effects on contact with water and which, according to Römpp's definition, belong to the second class of disintegrators, may also be used as a coating material.

Particular reference is made to hitherto unpublished **DE 197 10 254**
30 which describes disintegrators of which the particle size distribution (sieve analysis) is such that at most 1% by weight, preferably less, of dust is

present and a total (including any dust present) of less than 10% by weight of the disintegrator granules are smaller than 0.2 mm. At least 90% by weight of the disintegrator granules advantageously have a particle size of at least 0.2 mm and at most 3 mm. These disintegrators are particularly
5 suitable for the purposes of the present invention. Detergent shaped bodies containing granular or optionally co-granulated disintegrators are also described in German patent application **DE 197 09 991** (Stefan Herzog) and in International patent application **WO98/40463** (Henkel). These documents also contain details of the production of granulated,
10 compacted or co-granulated cellulose disintegrators. The particle sizes of such disintegrators is generally above 200 µm, at least 90% by weight of the disintegrators preferably being between 300 and 1600 µm in size and, more preferably, between 400 and 1200 µm in size. The relatively coarse cellulose-based disintegrators mentioned above and described in detail in
15 the cited documents are preferably used as disintegrators in accordance with the present invention and are commercially available, for example, under the name of Arbocel® TF-30-HG from Rettenmaier.

Disintegrators belonging to the group of organic acids, for example citric acid, or a citric acid/bicarbonate mixture and/or the celluloses and
20 cellulose derivatives are also suitable. If a disintegrator is present in the shaped body, the dissolving time of the shaped body as a whole is preferably shorter than the duration of the main wash cycle of a conventional dishwashing machine, i.e. shorter than 40 mins., preferably shorter than 30 mins., more preferably shorter than 20 mins., and most
25 preferably shorter than 10 mins.

In general, paraffins and/or microwaxes and/or the high molecular weight polyethylene glycols described in detail in the prior art are normally used as dissolution retarders. The use of mixtures mentioned in hitherto unpublished **DE 197 27 073**, of which the disclosure is hereby specifically
30 included as part of the present disclosure, is particularly suitable for the purposes of the present application.

If the shaped body contains a component for retarding solubility, the dissolving time of the shaped body as a whole in cold (20°C) water - in one preferred embodiment - is longer than the prerinse cycle of a commercially available dishwashing machine, i.e. longer than 5 mins. and preferably longer than 10 mins.

General forms of presentation

The shaped body may assume any of the various three-dimensional forms which are listed inter alia in patents belonging to the prior art and in the standard works of the specialist literature (for example: Riedel, "Die Tablette"). The region in which the ingredient (I) is contained is also not confined to any particular three-dimensional form. However, a dimension in one direction in space of more than 5 mm is preferred for practical reasons.

Specific forms of presentation

In one preferred embodiment, the invention provides homogeneous or heterogeneous shaped bodies of known construction.

These include in particular cylindrical tablets which preferably have a diameter of 15 to 60 mm and, more particularly, 30 ± 10 mm. The height of these tablets is preferably from 5 to 30 mm and more preferably from 15 to 28 mm. Shaped bodies with a diameter of 32, 33, 34, 35, 36, 37, 38 and 39 mm have proved to be particularly favorable. In particular embodiments, the height is 24, 25, 26, 27 or 28 mm.

However, square, rectangular, trapezoidal, oval and irregularly shaped bases may also be used with advantage. The edge lengths are preferably between 15 and 60 mm and more preferably 30 ± 10 mm.

The weight of the individual shaped bodies, more particularly tablets, is preferably 15 to 60 g and more preferably 20 to 40 g per shaped body or tablet. By contrast, the density of the shaped bodies or tablets normally assumes values above 1 kg/dm^3 and preferably in the range from 1.1 to 1.4

kg/dm³.

One or more shaped bodies, for example 2 to 4 shaped bodies, more particularly tablets, may be used according to the particular application, the water hardness range and the nature of the soils to be removed. Other shaped bodies according to the invention may have even smaller diameters or dimensions, for example around 10 mm.

A homogeneous shaped body in the context of the present invention is understood to be one in which the ingredients of the shaped body - except for the region containing ingredient (I) - are homogeneously distributed in such a way that differences between ingredients and/or active substances are not visible to the naked eye. The granular structure of the solids used is of course still discernible. In one preferred embodiment of the invention, only one other region (phase) is present besides the region containing the ingredient (I).

Accordingly, heterogeneous shaped bodies in the context of the present invention are those in which the ingredients present besides the ingredient (I) do not have to be homogeneously distributed. In one simple case, heterogeneous shaped bodies may be produced, for example, by giving the various ingredients different colors and/or by providing them with different fragrance components.

Another case which, according to the invention, counts as a non-homogeneous (heterogeneous) shaped body is an embodiment in which a shaped body comprising several layers (phases), i.e. at least two layers, besides the region containing the ingredient (I) is compressed. For example, these various layers may have different disintegration and dissolving rates and/or may contain different ingredients. This can result in advantageous performance properties of the shaped bodies. If, for example, ingredients which adversely affect one another are present in the shaped bodies, they can be separated. If a particular sequence of cleaning conditions is to be created in a machine, one (or more) component(s) may be integrated in a (or the) faster disintegrating and/or faster dissolving layer

while the other component(s) is incorporated in a (or the) more slowly dissolving layer, so that one component can act in advance or can have already reacted off by the time another component dissolves.

5 In one preferred embodiment of the invention, another two phases are present besides the region containing the ingredient (I). It is particularly favorable if the ratios by volume of the other two phases are between 10:1 and 1:10, preferably between 5:1 and 1:5 and more preferably between 2:1 and 1:2.

10 Another particularly preferred embodiment is characterized in that three or more other phases are present.

The layered structure of the shaped bodies may be stack-like, in which case the inner layer(s) dissolve(s) at the edges of the shaped body before the outer layers have completely dissolved or disintegrated. However, the inner layer(s) may also be completely and/or partly
15 surrounded by the layers situated further to the outside which prevents and/or retards the early dissolution of constituents of the inner layer(s).

In another preferred embodiment of the invention, a tablet consists of at least three layers, i.e. two outer layers and at least one inner layer, at least one of the inner layer(s) containing a peroxy bleaching agent
20 whereas, in the case of the stack-like tablet, the two cover layers and - in the case of the jacket-like tablet - the outermost layers are free from peroxy bleaching agent. Peroxy bleaching agent and any bleach activators or bleach catalysts and/or enzymes present can also be separated from one another in one and the same tablet and/or shaped body. Embodiments
25 such as these have the advantage that there is no danger of any unwanted interactions in the shaped bodies according to the invention.

In another favorable and preferred embodiment of the present invention, one of the bleach components or the bleach component, more especially the chlorine component, is not made up in one phase with the
30 perfume component. Another favorable and preferred embodiment of the invention is characterized in that the silver protector component is not

made up with (any of) the bleach component(s). In another favorable and preferred embodiment of the invention, one of the components, or the component, for controlling solubility is made up together with the bleach activator. Another favorable and preferred embodiment of the invention is characterized in that one of the components, or the component, for controlling solubility is made up together with enzymes. Another favorable and preferred embodiment of the invention is characterized in that one of the components, or the component, for controlling solubility is made up together with the bleaching agent. Another favorable and preferred embodiment of the invention is characterized in that one of the components, or the component, for controlling solubility is made up together with the silver protector component. Another favorable and preferred embodiment of the invention is characterized in that one of the components, or the component, for controlling solubility is made up together with at least 50% by weight, preferably more than 70% by weight and, more preferably, more than 90% by weight of a surfactant or the surfactant mixture as a whole.

The shaped bodies according to the invention are produced by any of the methods normally used for producing shaped bodies.

In some embodiments, it has proved to be particularly favorable to introduce the region containing the ingredient(s) (I) in the form of a liquid (quite generally a solution and/or melt), optionally at elevated temperature, into a preformed recess of the surrounding ingredients and then to allow this region to solidify by applying conventional technical measures (quite generally drying and/or cooling). A viscosity of more than 1,500 mPas, preferably more than 2,000 mPas, more preferably between 2,000 and 15,000 mPas, most preferably between 2,500 and 7,000 mPas and, in a particularly advantageous embodiment, between 3,000 and 4,000 mPas, has proved to be particularly effective. A process for producing such shaped bodies filled with melt dispersions or emulsions is disclosed in German patent application **DE 198 31 704.2** (Henkel KGaA). A process for

the production of coating particles, more particularly coated chlorine bleach particles, is also disclosed in German patent application **DE 197 27 073.5** (Henkel KGaA). The coated particles produced in accordance with the teaching of this document may be directly pressed onto or into shaped
5 bodies or melted and poured into depressions.

It has proved to be particularly effective to combine the active ingredient (I) with fusible carrier materials. These include in principle any substances which solidify at or particularly above room temperature.

According to the invention, nonionic surfactants (Dehypon® LT 104,
10 Dehypon® LS 54, Dehydol® LS 30, Lutensol® AT 80), polyethylene glycols with various molecular weights (PEG 400, 12000), soaps (Lorol® C 16), stearates (Cutina® GMS), and also thickened caustic soda and fusible salts, such as sodium carbonate decahydrate, have proved to be particularly suitable carrier materials. The advantages and disadvantages
15 of the individual ingredients can be reproduced by the expert in tests.

According to the invention, particularly suitable fusible components are waxes. "Waxes" in the context of the invention are understood to be a number of natural or synthetic substances which generally melt above 40°C without decomposition and which have relatively low viscosities and
20 are non-stringy even at temperatures just above their melting point. Their consistency and solubility are highly temperature-dependent.

The waxes are divided into three groups according to their origin, namely: the natural waxes, chemically modified waxes and the synthetic waxes.

25 The natural waxes include, for example, candelilla wax, carnauba wax, Japan wax, espartoglass wax, cork wax, guaruma wax, rice oil wax, sugar cane wax, ouricury wax or montan wax; animal waxes, such as beeswax, shellac wax, spermaceti, lanolin (wool wax), uropygial fat; mineral waxes, such as ceresine, ozocerite (earth wax); and petrochemical
30 axes, such as petrolatum, paraffin waxes or microwaxes.

The chemically modified waxes include, for example, hard waxes,

such as montan ester waxes, sassol waxes and hydrogenated jojoba waxes.

Synthetic waxes are generally understood to be polyalkylene waxes and polyalkylene glycol waxes.

5 Waxes in the context of the present invention also include, for example, the so-called wax alcohols. Wax alcohols are relatively high molecular weight, water-insoluble fatty alcohols containing more than 28 to 40 carbon atoms. The wax alcohols occur, for example, in the form of wax esters of relatively high molecular weight fatty acids (wax acids) as the
10 main constituent of many natural waxes. Examples of wax alcohols are lignoceryl alcohol (1-tetracosanol) and melissyl alcohol. The fusible component may also contain wool wax alcohols which are understood to be triterpene and steroid alcohols, for example lanolin. According to the invention, fatty acid glycerol esters and fatty acid alkanolamides and,
15 optionally, water-insoluble or substantially water-insoluble polyalkylene glycol compounds may also be used at least partly as a constituent of the fusible component.

The fusible component preferably contains paraffin wax for the most part. In other words, at least 50% by weight of the fusible component,
20 preferably more, consists of paraffin wax. Paraffin wax contents in the jacket of around 60% by weight, 70% by weight or 80% by weight are particularly suitable, higher paraffin wax contents, for example of more than 90% by weight, being particularly preferred. In one particular embodiment, the fusible component consists entirely of paraffin wax.

25 In the context of the present invention, paraffin waxes have the advantage over the other natural waxes mentioned that they do not undergo hydrolysis in an alkaline detergent environment (in contrast to the wax esters for example) because paraffin wax does not contain any hydrolyzable groups.

30 Paraffin waxes consist mainly of alkanes and small amounts of iso- and cycloalkanes. The paraffin wax to be used in accordance with the

invention preferably contains hardly any constituents with a melting point above 70°C and more preferably above 60°C. If the temperature in the wash liquor falls these values, high-melting alkanes in the paraffin can leave unwanted wax residues behind on the surfaces or the ware to be
5 cleaned. Wax residues generally leave the cleaned surface with an unpleasant appearance and should therefore be avoided. The jacket according to the invention preferably contains at least one paraffin wax with a melting point of about 57°C to about 60°C.

The paraffin wax used preferably has a high content of alkanes, isoalkanes and cycloalkanes solid at ambient temperature (generally about
10 10 to about 30°C). The greater the percentage of solid wax constituents present in a wax at room temperature, the more suitable that wax is for use in accordance with the invention. The resistance of the jacket to impact or friction on other surfaces increases with increasing percentage of solid wax
15 constituents which leads to longer-lasting protection of the jacketed particles. High levels of oils or liquid wax constituents can lead to weakening of the jacket so that pores are opened and the particles made up with the fusible component are exposed to the environmental influences mentioned at the beginning.

At unusually low temperatures, for example at temperatures below 0°C, the solidified fusible component can disintegrate on impact or friction. In order to improve stability at such low temperatures, additives may be incorporated in the fusible component. Suitable additives must be completely miscible with the molten wax, should not significantly change
20 the melting range of the jacket, should improve the elasticity of the solidified fusible component at low temperatures, should generally not increase the permeability of the solidified fusible component to water or moisture and should not increase the viscosity of the melt of the jacket material to such an extent that processing is made difficult to or even
25 impossible. Suitable additives, which reduce the brittleness of a jacket consisting essentially of paraffin at low temperatures, are for example EVA
30

copolymers, hydrogenated resin acid methyl esters, polyethylene or copolymers of ethyl acrylate and 2-ethyl hexyl acrylate.

Besides paraffin, the fusible component may contain one or more of the above-mentioned waxes or wax-like substances as a principal constituent. Basically, the properties of the jacket-forming mixture should be such that the jacket is at least substantially insoluble in water. The solubility in water should not exceed about 10 mg/l at a temperature of about 30°C and is preferably below 5 mg/l.

The use of mixtures mentioned in hitherto unpublished **DE 197 27 073**, of which the disclosure is hereby specifically included as part of the present disclosure, is particularly suitable for the purposes of the present application.

In other embodiments, parts of the shaped body and/or components of the shaped body are treated by exposure to microwave radiation in order positively to influence their strength, moisture content and solubility.

However, the constituents may also be simply compressed. In this case, microtabs and shaped bodies smaller in their dimensions than the final shaped body may be used in addition to powders and granules.

20 Ingredients

Particular ingredients (I) used in accordance with the invention are substances which prevent the resoiling of surfaces and/or which facilitate the separation of soil after a single application (so-called soil-release compounds).

The soil-release compounds used in accordance with the invention include any of the compounds known from the prior art. Cationic polymers known, for example, from the following documents are particularly suitable:

According to **EP-A-0 167 382**, **EP-A-0 342 997** and **DE-OS 26 16 404**, cationic polymers are added to cleaning compositions to obtain streak-free cleaning of the surfaces.

EP-A-0 167 382 describes liquid cleaning compositions which may

contain cationic polymers as thickeners. Hydroxypropyl trimethyl ammonium guar; copolymers of aminoethyl methacrylate and acrylamide and copolymers of dimethyl diallyl ammonium chloride and acrylamide are described as particularly suitable cationic polymers.

- 5 **EP-A-0 342 997** describes multipurpose cleaners which may contain cationic polymers, polymers containing imino groups in particular being used.

- DE-OS 26 16 404** describes cleaning compositions for glass containing cationic cellulose derivatives. The addition of the cationic
10 cellulose derivatives to the compositions ensures better drainage of the water so that streak-free glass is obtained.

- EP-A-0 467 472**, for example, describes cleaning compositions for hard surfaces which contain cationic homopolymers and/or copolymers as soil-release polymers. These polymers contain quaternized ammonium
15 alkyl methacrylate groups as monomer units. These compounds are used to finish the surfaces in such a way that the soils can be removed more easily the next time the surfaces are cleaned.

- Particular preference is attributed to the cationic polymers selected from cationic polymers of copolymers of such monomers as trialkyl ammonium alkyl (meth)acrylate or acrylamide; dialkyl diallyl diammonium salts; polymer-analog reaction products of ethers or esters of polysaccharides with lateral ammonium groups, more particularly guar, cellulose and starch derivatives; polyadducts of ethylene oxide with ammonium groups; quaternary ethylene imine polymers and polyesters and polyamides containing quaternary lateral groups as soil-release compounds.
20
25

Natural polyuronic acids and related substances and also polyampholytes and hydrophobicized polyampholytes and mixtures of these substances are also particularly preferred for the purposes of the present invention.

- 30 According to the invention, between 0 and 5% by weight of enzymes, based on the composition as a whole, may be added to the

detergent/cleaner to improve performance or guarantee the same quality of cleaning under milder conditions. The most commonly used enzymes include lipases, amylases, cellulases and proteases. Preferred proteases are, for example, BLAP® 140 (Biozym), Optimase® M-440 and Opticlean® M-250 (Solvay Enzymes); Maxacal® CX and Maxapem® or Esperase® (Gist Brocades) and even Savinase® (Novo). Particularly suitable celluloses and lipases are Celluzym® 0,7 T and Lipolase® 30 T (Novo Nordisk). Particularly suitable amylases are Duramyl® and Termamyl® 60 T and Termamyl® 90 T (Novo), Amylase-LT® (Solvay Enzymes) and Maxamyl® P5000 (Gist Brocades). Other enzymes may also be used.

Other ingredients

Particular ingredients (I) used in accordance with the invention are oxygen bleaching agents, preferably the alkali metal perborates and hydrates thereof and alkali metal percarbonates, sodium perborate (monohydrate or tetrahydrate) or sodium percarbonate and hydrates thereof preferably being used in accordance with the invention. The persulfates may also be used.

However, other typical oxygen bleaching agents are the organic peracids. Organic acids preferably used include above all the extremely effective phthalimidoperoxycaproic acid although, in principle, any other known peracids may also be used.

Particular ingredients (I) used in accordance with the invention are bleach activators. Known bleach activators are compounds which contain one or more N- or O-acyl groups, such as compounds from the class of anhydrides, esters, imides and acylated imidazoles or oximes. Examples are tetraacetyl ethylenediamine (TAED), tetraacetyl methylenediamine (TAMD) and tetraacetyl hexylenediamine (TAHD) and also pentaacetyl glucose (PAG), 1,5-diacetyl-2,2-dioxohexahydro-1,3,5-triazine (DADHT) and isatoic anhydride (ISA).

The bleach activators used may be compounds which form aliphatic

peroxocarboxylic acids preferably containing 1 to 10 carbon atoms and, more particularly, 2 to 4 carbon atoms and/or optionally substituted perbenzoic acid under perhydrolysis conditions. Suitable bleach activators are substances which carry O- and/or N-acyl groups with the number of carbon atoms mentioned and/or optionally substituted benzoyl groups. Preferred bleach activators are polyacylated alkylenediamines, more especially tetraacetyl ethylenediamine (TAED), acylated triazine derivatives, more especially 1,5-diacetyl-2,4-dioxohexahydro-1,3,5-triazine (DADHT), acylated glycolurils, more especially tetraacetyl glycoluril (TAGU), N-acyl imides, more especially N-nonanoyl succinimide (NOSI), acylated phenol sulfonates, more particularly n-nonanoyl or isononanoyloxybenzenesulfonate (n- or iso-NOBS), carboxylic anhydrides, more especially phthalic anhydride, acylated polyhydric alcohols, more especially triacetin, ethylene glycol diacetate, 2,5-diacetoxy-2,5-dihydrofuran, n-methyl morpholinium acetonitrile methyl sulfate (MMA) and the enol esters known from German patent applications **DE 196 16 693** and **DE 196 16 767** and also acetylated sorbitol and mannitol and the mixtures thereof (SORMAN) described in European patent application **EP 0 525 239**, acylated sugar derivatives, more especially pentaacetyl glucose (PAG), pentaacetyl fructose, tetraacetyl xylose and octaacetyl lactose and acetylated, optionally N-alkylated, glucamine and gluconolactone, and/or the N-acylated lactams, for example N-benzoyl caprolactam, which are known from International patent applications **WO 94/27970**, **WO 94/28102**, **WO 94/28103**, **WO 95/00626**, **WO 95/14759** and **WO 95/17498**. The hydrophilically substituted acyl acetals known from German patent application **DE 196 16 769** and the acyl lactams described in German patent application **DE 196 16 770** and in International patent application **WO 95/14075** are also preferably used. The combinations of conventional bleach activators known from German patent application **DE 44 43 177** may also be used. Bleach activators such as these are present in the usual quantities, preferably in quantities of 1% by weight to 10% by weight and more

preferably in quantities of 2% by weight to 8% by weight, based on the detergent/cleaner as a whole.

In addition to or instead of the conventional bleach activators mentioned above, the sulfonimines known from European patents **EP 0 446 982** and **EP 0 453 003** and/or bleach-boosting transition metal salts or transition metal complexes may be present as so-called bleach catalysts. Suitable transition metal compounds include in particular the manganese-, iron-, cobalt-, ruthenium- or molybdenum-salen complexes known from German patent application **DE 195 29 905** and the N-analog compounds thereof known from German patent application **DE 196 20 267**, the manganese-, iron-, cobalt-, ruthenium- or molybdenum-carbonyl complexes known from German patent application **DE 195 36 082**, the manganese, iron, cobalt, ruthenium, molybdenum, titanium, vanadium and copper complexes with nitrogen-containing tripod ligands described in German patent application **DE 196 05 688**, the cobalt-, iron-, copper- and ruthenium-ammine complexes known from German patent application **DE 196 20 411**, the manganese, copper and cobalt complexes described in German patent application **DE 44 16 438**, the cobalt complexes described in European patent application **EP 0 272 030**, the manganese complexes known from European patent application **EP 0 693 550**, the manganese, iron, cobalt and copper complexes known from European patent **EP 0 392 592** and/or the manganese complexes described in European patent **EP 0 443 651** or in European patent applications **EP 0 458 397**, **EP 0 458 398**, **EP 0 549 271**, **EP 0 549 272**, **EP 0 544 490** and **EP 0 544 519**.

Combinations of bleach activators and transition metal bleach catalysts are known, for example, from German patent application **DE 196 13 103** and International patent application **WO 95/27775**. Bleach activators from the group of polyacylated alkylenediamines, more particularly tetraacetyl ethylenediamine (TAED), N-acyl imides, more particularly N-nonanoyl succinimide (NOSI), acylated phenol sulfonates, more particularly n-nonanoyl or isononanoyloxybenzenesulfonate (n- or iso-NOBS), MMA are

preferably used, preferably in quantities of up to 10% by weight, more preferably in quantities of 0.1% by weight to 8% by weight, most preferably in quantities of 2 to 8% by weight and, with particular advantage, in quantities of 2 to 6% by weight, based on the detergent/cleaner as a whole.

- 5 Bleach-boosting transition metal complexes, more particularly containing the central atoms Mn, Fe, Co, Cu, Mo, V, Ti and/or Ru, preferably selected from the group of manganese and/or cobalt salts and/or complexes, more preferably the cobalt (ammine) complexes, cobalt (acetate) complexes, cobalt (carbonyl) complexes, chlorides of cobalt or
10 manganese and manganese sulfate, are also present in typical quantities, preferably in a quantity of up to 5% by weight, more preferably in a quantity of 0.0025% by weight to 1% by weight and most preferably in a quantity of 0.01% by weight to 0.25% by weight, based on the detergent/cleaner as a whole. In special cases, however, more bleach activator may even be
15 used.

- Dishwasher detergents according to the invention may contain corrosion inhibitors as an ingredient for protecting the tableware or the machine itself, silver protectors being particularly important for dishwashing machines. Known corrosion inhibitors, for example those described in **DE**
20 **43 25 922**, **DE 41 28 672** and **DE 43 38 724**, may be used. Above all, silver protectors selected from the group of triazoles, benzotriazoles, bisbenzotriazoles, aminotriazoles, alkylaminotriazoles and the transition metal salts or complexes may generally be used. Benzotriazole and/or alkylaminotriazole is/are particularly preferred. In addition, dishwashing
25 formulations often contain corrosion inhibitors containing active chlorine which are capable of distinctly reducing the corrosion of silver surfaces. According to the above documents, chlorine-free dishwashing detergents contain in particular oxygen- and nitrogen-containing organic redox-active compounds, such as dihydric and trihydric phenols, for example
30 hydroquinone, pyrocatechol, hydroxyhydroquinone, gallic acid, phloroglucinol, pyrogallol and derivatives of these compounds. Salt-like and

complex-like inorganic compounds, such as salts of the metals Mn, Ti, Zr, Hf, V, Co and Ce are also frequently used. Of these, the transition metal salts selected from the group of manganese and/or cobalt salts and/or complexes are preferred, cobalt(ammine) complexes, cobalt(acetate) complexes, cobalt(carbonyl) complexes, chlorides of cobalt or manganese and manganese sulfate being particularly preferred. Zinc compounds may also be used to prevent corrosion of tableware.

In the shaped bodies according to the invention, all ingredients (I) described above can also perform the function of other ingredients should the condition of the region according to the invention be fulfilled by other ingredients.

Water-soluble and water-insoluble builders may be used in the detergents/cleaners according to the invention, above all to bind calcium and magnesium. Water-soluble builders are preferred because, in general, they tend less to form insoluble residues on tableware and hard surfaces. Typical builders which may be present in quantities of 10 to 90% by weight, based on the composition as a whole, in accordance with the invention are the low molecular weight polycarboxylic acids and salts thereof, the homopolymeric and copolymeric polycarboxylic acids and salts thereof, the carbonates, phosphates and silicates. Water-insoluble builders include the zeolites, which may also be used, and mixtures of the builders mentioned above.

Trisodium citrate and/or pentasodium tripolyphosphate and/or sodium carbonate and/or sodium bicarbonate and/or gluconates and/or silicate builders from the class of disilicates and/or metasilicates are preferably used.

Alkali sources may be present as further ingredients. Alkali sources are alkali metal hydroxides, alkali metal carbonates, alkali metal hydrogen carbonates, alkali metal sesquicarbonates, alkali metal silicates, alkali metal metasilicates and mixtures of the substances mentioned above. According to the invention, alkali metal carbonates, more particularly

sodium carbonate, sodium hydrogen carbonate or sodium sesquicarbonate, are preferably used.

A builder system containing a mixture of tripolyphosphate and sodium carbonate is particularly preferred.

- 5 Another particularly preferred builder system contains a mixture of tripolyphosphate and sodium carbonate and sodium disilicate.

In principle, any surfactants may be used as surfactants. Nonionic surfactants, above all low-foaming nonionic surfactants, are preferred although other low-foaming surfactants may also be used. Alkoxylated
10 alcohols, especially ethoxylated and/or propoxylated alcohols, alkyl polyglycosides, and alkyl polyglucamides are particularly preferred.

Alkoxylated alcohols are generally understood by the expert to be the reaction products of alkylene oxide, preferably ethylene oxide, with alcohols, the relatively long-chain alcohols (C₁₀ to C₁₈, preferably between
15 C₁₂ and C₁₆ such as, for example, C₁₁, C₁₂, C₁₃, C₁₄, C₁₅, C₁₆, C₁₇ and C₁₈ alcohols) being preferred for the purposes of the present invention. In general, a complex mixture of addition products differing in their degree of ethoxylation is formed from n moles of ethylene oxide and 1 mole of alcohol, depending on the reaction conditions. Another embodiment is
20 characterized by the use of mixtures of alkylene oxides, preferably a mixture of ethylene oxide and propylene oxide. If desired, "end-capped" alcohol ethoxylates, which may also be used in accordance with the invention, may also be obtained by etherification with short-chain alkyl groups, preferably butyl groups, in a concluding step. According to the
25 invention, highly ethoxylated fatty alcohols or mixtures thereof with end-capped fatty alcohol ethoxylates are particularly preferred for the purposes of the invention.

Alkyl polyglycosides are surfactants which may be obtained by reacting sugars and alcohols using the relevant methods of preparative
30 organic chemistry, a mixture of monoalkylated oligomeric or polymeric sugars being obtained according to the particular method of production

used. Preferred alkyl polyglycosides are alkyl polyglucosides. In a particularly preferred embodiment, the alcohol is a long-chain fatty alcohol or a mixture of long-chain fatty alcohols while the degree of oligomerization of the sugars is between 1 and 10.

- 5 Fatty acid polyhydroxylamides (glucamides) are acylated reaction products of the reductive amination of a sugar (glucose) with ammonia, long-chain fatty acids, long-chain fatty acid esters or long-chain fatty acid chlorides generally being used as acylating agents. Secondary amides are formed if methyl amine or ethyl amine is used instead of ammonia for the
- 10 reduction process, as described for example in **SÖFW Journal**, 119, (1993), 794-808. Carbon chain lengths of C₆ to C₁₂ are preferably used in the fatty acid moiety.

- The regions of the shaped body may be colored. In one particularly preferred embodiment, one or more regions in the shaped body or all the
- 15 regions in the shaped body are differently colored. In one special embodiment of the shaped body, the color is red. In another special embodiment of the shaped body, the color is green. In another special embodiment of the shaped body, the color is yellow. In another special embodiment of the shaped body, the color is a mixture of different colors.

- 20 The storage stability of the shaped body is particularly important. In one particularly preferred embodiment of the invention, the increase in weight of the region containing the ingredient (I) during storage under normal domestic conditions, i.e. between 15 and 30°C and between 5 and 55% and preferably between 15 and 35% air humidity for a period of 30
- 25 days, preferably 60 days and more preferably 90 days is no more than 50% by weight, preferably no more than 40% by weight, more preferably no more than 30% by weight, most preferably no more than 20% by weight and, in one particularly advantageous embodiment, no more than 10% by weight and, in the most favorable case, no more than 5% by weight.

- 30 In another particularly preferred embodiment of the invention, the loss of active substance of the ingredient (I) during storage under normal

domestic conditions, i.e. between 15 and 30°C and between 5 and 55% and preferably between 15 and 35% air humidity for a period of 30 days, preferably 60 days and more preferably 90 days is no more than 50% by weight, preferably no more than 40% by weight, more preferably no more than 30% by weight, most preferably no more than 20% by weight and, in one particularly advantageous embodiment, no more than 10% by weight and, in the most favorable case, no more than 5% by weight.

In another particularly preferred embodiment of the invention, the absorption maximum of a 1% solution of a colored region or a colored component during storage under normal domestic conditions, i.e. between 15 and 30°C and between 5 and 55% and preferably between 15 and 35% air humidity for a period of 30 days, preferably 60 days and more preferably 90 days is no more than 100 wave numbers, preferably no more than 50 wave numbers, more preferably no more than 30 wave numbers, most preferably no more than 20 wave numbers and, in one particularly advantageous embodiment, no more than 10 wave numbers and, in the most favorable case, no more than 5 wave numbers.

Examples

The following formulations were mixed and compressed to shaped bodies. The ingredients shown in brackets are examples of the class of compounds in question, but may be replaced by other substances listed in the application. The starting formulations represent preferred ranges of the invention.

In the measurement of effectiveness, the particular ingredient (I) selected was transferred to the region according to the invention. In the other region (other regions), it was reduced in accordance with the invention or left out altogether before the studies were carried out.

Possible starting formulation (Ra) and test formulations (Va) (figures = % by weight):

Ingredient	Ra	Va1	Va2	Va3	Va4	Va5	Va6	Va7
Phosphate (sodium tripolyphosphate)	30-60	54.8	56.4	30.5	43	48	48	47
Sodium carbonate	5-25	15.9	13.2	21.5	7	20	12	24
Sodium disilicate	0-40	7.3	7.5	33.7	20	3	14	
Polymer (Sokalan CP5)	0-10	2.2	2.2			1		5
Sodium metasilicate	0-10			1.8				0
Sodium hydrogen carbonate	0-10				1		3	
Bleach (sodium perborate)	2-20	9.0	9.0	6.7	15	10	12	9
Bleach activator (TAED) (co-pentammine-Cl)	0-5	2.1	2.1		3	2	1	1.5
Enzyme (amylase) (Duramyl 60 T)	0-5	2.0	2.0	0.7	3	3	3	2.5
Enzyme (protease) (Blap 200 S)	0-5	1.8	1.8	1.0	2	2	3	2.5
Phosphonate or phosphonic acid	0-5	0.9	0.9		2			1.5
Nonionic surfactant (Dehypon LS 54)	0-5	2.0	2.0	2.0	2	4	3	1.5
Silver protector (benzotriazole)	0-3	0.3	0.3	0	0.3	0.2		0.5
Tabletting aid (polyethylene glycol)	0-10					6		
Paraffin (Mp.: 53°C)	0-10		2.0	1.0				3
Perfume	0-1	0.2	0.2	0.2	1	0.4	1	0.5
Dye	0-4	1.4	1.3	1.4	0.7	0.4		1.5

The builder system of the above starting formulation may also have the following composition (all other ingredients same as for a).

Ingredient	Rb	Vb1	Vb2	Vb3	Vb4	Vb5	Vb6	Vb7
Phosphate (sodium tripolyphosphate)	30-60	59	56	53	48	48	48	47
Carbonate (sodium carbonate)	5-25	21.2	20.3	22.7	17	20	16	24
Polymer (Sokalan CP5)	0-10		2	10	5	4		5
Sodium metasilicate	0-10			1.8				
Sodium hydrogen carbonate	0-10				1		3	

Examples of another starting formulation (R) according to the present invention and test formulations (V) (% by weight) are shown in the following Table:

Ingredient	Rc	Vc1	Vc2	Vc3	Vc4
Phosphate (sodium tripolyphosphate)	15-35	30	21	35	40
Carbonate (sodium carbonate)	25-55	39	50	40	35
Sodium hydrogen carbonate	10-20	14	19	15	12
Polymer (Sokalan CP5)	0-10	3	0		
Sodium disilicate	0-10				
Sodium disilicate	0-10	0	0	0	5
Bleach (sodium perborate)	2-10	7	8	5	5
Bleach activator (TAED)	0-5	1	0	1	1
Enzyme (amylase) (Duramyl 60 T)	0.4-2	1	0.5	0.5	0.5
Enzyme (protease) (Blap 200 S)	0.4-2	1	0.5	0.5	0.5
Phosphonate or phosphonic acid	0-5	0	0	0	0
Nonionic surfactant (Dehypon LS 54)	0-5	2	1	1	1
Silver protector (benzotriazole)	0-3	0.5	0	0.3	0
Paraffin (Mp.: 53°C)	0-10	0	0		0
Perfume	0-1	0	0	0.7	0
Dye	0-4	0.5	0	1	0

Further examples of a starting formulation (R) according to the present application and test formulations (V) (% by weight) are shown in the following Table:

Ingredient	Rd	Vd1	Vd2	Vd3	Vd4
Trisodium citrate	20-55	44	34	44	44
Sodium hydrogen carbonate	5-35	24	9	34	20
Carbonate (sodium carbonate)	0-10	7			
Polymer (Sokalan CP5)	0-10		6		
Sodium disilicate	0-25		20		
Bleach (sodium perborate)	0-22	9	16	17	
Bleach activator (TAED)	0-25	3	1	0	20
Enzyme (amylase) (Duramyl 60 T)	0.4-5	2.5	3	1	5
Enzyme (protease) (Blap 200 S)	0.4-5	2	3	1	5
Phosphonate or phosphonic acid	0-5	1.5	2.3		2
Nonionic surfactant (Dehypon LS 54)	0-5	2.5	1.7	2	1
Silver protector (benzotriazole)	0-3	0.5	0.5		

Ingredient	Rd	Vd1	Vd2	Vd3	Vd4
Paraffin (Mp.: 53°C)	0-10	3	1.5		
Perfume	0-1	0.9	0.5	1	1
Dye	0-4	0.1	1.5		2

Further examples of a starting formulation (R) according to the present application and test formulations (V) (% by weight) are shown in the following Table:

Ingredient	Re	Ve1	Ve2	Ve3	Ve4
Citrate (trisodium citrate)	20-55	32	36	38	24
Phosphate (trisodium polyphosphate)	20-55	26	23	24	24
Carbonate (sodium carbonate)	1-15	11	10	11	15
Polymer (Sokalan CP5)	0-10		5	1.5	6
Silicate (sodium disilicate)	0-25	3			6
Bleach (sodium perborate)	2-20	16	3	12	9
Bleach activator (TAED)	0-5	0.5	5	2	3
Enzyme (amylase) (Duramyl 60 T)	0-5		5	3	2
Enzyme (protease) (Blap 200 S)	0-5		5	0.5	2
Phosphonate or phosphonic acid	0-5	2	2		2
Tabletting aid (polyethylene glycol)	0-10	6	4	5	0.8
Nonionic surfactant (Dehypon LS 54)	0-5	2.5		2.8	2
Silver protector (benzotriazole)	0-3			0.2	0.2
Paraffin (Mp.: 53°C)	0-10				
Perfume	0-1	1	1		1
Dye	0-4	0	1		1

Further examples of a starting formulation (R) according to the present application and test formulations (V) (% by weight) are shown in the following Table:

Ingredient	Rf	Vf1	Vf2	Vf3	Vf4
Phosphate (trisodium polyphosphate)	40-60	49	49	49	50
Carbonate (sodium carbonate)	0-20		17	19	5
Polymer (Sokalan CP5)	0-15	2	4	1	6
Silicate (sodium disilicate)	0-30	24	6	5	10

Ingredient	Rf	Vf1	Vf2	Vf3	Vf4
Bleach (sodium perborate)	0-15	10	8	10	8
Bleach activator (TAED)	0-5	1.5	2	3	2
Enzyme (amylase) (Duramyl 60 T)	0-5	2	2	1.5	2.5
Enzyme (protease) (Blap 200 S)	0-5	3.9	2	1.5	2.5
Phosphonate or phosphonic acid	0-8	0.8	1	1	2
Tabletting aid (polyethylene glycol)	0-10	0.2	4	3.7	5
Nonionic surfactant (Dehypon LS 54)	0-8	1.5	2	4	3
Silver protector (benzotriazole)	0-5	0.1	0.5	0.3	0.5
Perfume	0-2	1	0.5	0.5	0.5
Dye	0-4	3	2	0.5	1

Further examples of a starting formulation (R) according to the present application and test formulations (V) (% by weight) are shown in the following Table:

Ingredient	Rg	Vg1	Vg2	Vg3	Vg4
Phosphate (trisodium polyphosphate)	30-60	55.7	59.6	46.5	47
Sodium disilicate	5-40	22.3	17.5	39.2	24
Polymer (Sokalan CP5)	0-10	2.2	2.2		5
Sodium metasilicate	0-10			1.8	
Sodium hydrogen carbonate	0-10				
Bleach (sodium perborate)	2-20	10	10	6.7	10
Bleach activator (co-catalyst)	0-2	1.1	1.1		0.5
Enzyme (amylase) (Duramyl 60 T)	0-5	2.0	2.0	0.7	2.5
Enzyme (protease) (Blap 200 S)	0-5	1.8	1.8	1.0	2.5
Phosphonate or phosphonic acid	0-5	0.9	0.9		1.5
Nonionic surfactant (Dehypon LS 54)	0-5	2.0	2.0	2.0	1.5
Silver protector (benzotriazole)	0-3	0.3	0.3	0	0.5
Tabletting aid (polyethylene glycol)	0-10				
Paraffin (Mp.: 53°C)	0-10		2.0	1.0	3
Perfume	0-1	0.2	0.2	0.2	0.5
Dye	0-4	1.4	1.3	1.4	1.5

Further examples of a starting formulation (R) according to the present

[illegible]

Ingredient	Rh	Vh1	Vh2	Vh3	Vh4	Vh5	Vh6	Vh7
Phosphate (sodium tripolyphosphate)	30-60	40	40	40	45	45	50	35
Sodium metasilicate (5-hydrate)	5-45	45	10	40	10	30	20	35
Sodium metasilicate (0-hydrate)	5-40	10	10	8	10	8	5	10
Sodium disilicate	0-40	0	30	0	15	10	5	0
Paraffin oil	0-10	4	5	5	5	6	5	0
Bleach (trichloroisocyanuric acid)	0.5-10	1	2	2	3	1	5	5
Enzyme (amylase) (Duramyl 60 T)	0-5			1	2		2	2
Enzyme (protease) (Blap 200 S)	0-5			1	2		2	2
Nonionic surfactant (Dehypon LS 54)	0-5		2	2	2		2	3
Tabletting aid (polyethylene glycol)	0-10		1		4		2	4
Perfume	0-1		0.3	0.3	1		1	0.5
Dye	0-4		0.7	0.7	1		1	2.5

Another starting formulation (R) (% by weight) and test formulations (V) were tested:

Ingredient	Ri1	Vi1	Vi2	Vi3
Sodium carbonate	35-55	43.5	45	55
Sodium hydrogen carbonate	15-35	15	25	34
Polymer (Sokalan CP5)	3-10	5	3	0
Sodium metasilicate	0-10	3	2	0
Bleach (sodium perborate)	5-12	6	10	8
Bleach activator (TAED)	0-5	1	2	0
Enzyme (amylase) (Duramyl 60 T)	0.4-2	1	1	0.5
Enzyme (protease) (Blap 200 S)	0.4-2	1	1	0.5
Phosphonate or phosphonic acid	0-5	0	2	0
Nonionic surfactant (Dehypon LS 54)	0-5	1	2	1
Tabletting aid (polyethylene glycol)	0-5		3	
Silver protector (benzotriazole)	0-3	0.5	1	0
Paraffin (Mp.: 53°C)	0-10	0	2	0
Perfume	0-1	0	1	0
Dye	0-4	1	1	1

Should a shaped body according to the invention contain several phases, each formulation may also be the constituents of an individual phase, in other words the percentages are then not based - as usual - on the formulation as a whole, but rather on the composition of individual phase.

Each of the formulations may of course also contain other ingredients typical of MDWM (for example fillers, preservatives and the like) in extremely small quantities, in which case the percentage contents of the other ingredients should be varied accordingly.

The production of the shaped bodies according to the invention involves steps which are known to the expert in this field in another connection. A preferred embodiment of the shaped body according to claim 1 contains a recess in a tablet, this recess containing the chlorine

bleach ingredient (I). Production is preferably carried out by forming a depression in a shaped body and filling the depression thus formed. The depression may be formed in a Korsch rotary press. In the present case, a Fette tablet press was used. A round tablet die (26 x 36 mm) was selected and, using a punch, a 5 mm deep recess was formed in one side, the base of the recess being selected so that a volume of 1 ml could be poured in, the surface of the tablet thereafter becoming smooth again.

A liquid mixture of paraffin and an active substance (I) was then poured in and allowed to cool. The cooling process may be assisted by conventional methods and equipment.

As already mentioned, the ingredient (I) was quantitatively reduced beforehand in accordance with the invention in the corresponding formulation surrounding the filled region and, in the present Examples and studies, was left out in the surrounding regions.

In comparisons with homogeneous tablets (where ingredient (I) does not correspond to the invention) and a few commercially available tablets, the tablets according to the invention proved to be superior.

The particular properties of the detergents/cleaners according to the invention were tested by comparison with known detergents/cleaners using the removal of tea stains as an example. The particular properties of the detergents/cleaners according to the invention were tested by comparison with known detergents/cleaners using the removal of enzyme-relevant stains as an example.

In addition, the particular properties of the detergents/cleaners according to the invention were tested by technically untrained people under simulated practical conditions in comparison with homogeneous tablets. Apart from dosing instructions and general safety instructions, the handling of the detergents/cleaners by the people in question in commercially available dishwashing machines was not influenced in any way. This comparison test produced particularly good results. The cleaning results were evaluated as particularly favorable.

In a test, samples according to starting formulation Ra which contained active chlorine (dichlorocyanurate) as bleaching component on the one hand in homogeneous distribution in the tablet and, on the other hand, in accordance with claim 1, so that the active chlorine was largely separated from the other (particularly enzyme-containing) components, were used. Storage stability after 2 weeks was distinctly poorer in the case of the homogeneous tablet so it was not possible to obtain a satisfactory cleaning effect against milk and starch-relevant stains. This applies to the entirely normal making-up of the bleach component in region (I) which, in the present case, represented a recess. The effect is even clearer where a mixture of chlorine component and paraffin is used in a standard program at 55°C. The cleaning results were better even immediately after production. The effect improved with storage. Tea, milk, burnt-on meat, burnt-in meat, egg and starch mixtures in particular were removed far more effectively than by tablets without a region (I), i.e. with a homogeneously distributed component (I), and commercially available dishwasher tablets.

The effect was discernible even with paraffins having a melting point of 40 to 44°C. The effect is more pronounced with paraffins having a melting point of 46 to 48°C. The cleaning effect is particularly pronounced with paraffins having a melting point of 57 to 60°C.

The results clearly show that the tablets according to the invention are superior to conventional dishwasher tablets.

In further Examples, melt dispersions of dichloroisocyanuric acid (DICA) in shell-forming substances were prepared to demonstrate the positive effects. Recessed tablets (weight 24 g) were made by compression using a punch with a projection. The composition (in % by weight, based on the premix and hence the recessed tablet) is shown in Table 1 below:

Table 1: composition of the premix (% by weight):

	Premix
Sodium carbonate	24.8
Sodium tripolyphosphate	62.6
Sodium perborate	7.5
Tetraacetyl ethylenediamine	1.1
Benzotriazole	0.7
C ₁₂ fatty alcohol · 3 EO	1.9
Dye	0.1
Enzymes	0.7
Perfume	0.1
PEG 400	0.5

Melt dispersions SDE 1 and 2 were prepared by heating the particular shell-forming material and stirring in the solid active substance (DICA polymer). Their composition (% by weight, based on the melt) is shown in the following Table:

	SDE 1	SDE 2
Dichloroisocyanuric acid (DICA)*	35	35
Paraffin (Mp.: 46-48°C)	65	-
Paraffin (Mp.: 57-60°C)	-	65

* Sodium salt: Oxidan® DCN/WP (3V Sigma)

The melt dispersions were introduced into the shaped bodies as described above and allowed to cool in accordance with the teaching of German patent application **DE 198 31 704.2**. Before they were filled, the shaped bodies weighed 24 g and were each filled with 1.3 g of the melt

dispersion. The cleaning performance of the shaped bodies E1 and E2 filled with melt dispersions SDE1 and SDE2 was tested against tea stains. To this end, a tea soil was prepared in accordance with (1) and the soiled cups were cleaned in a typical domestic dishwasher:

(1) Preparation of the tea soil

In a water purification kettle, 16 liters of cold local water (16°d) were briefly brought to the boil. 96 g of black tea in a nylon net were allowed to draw for 5 minutes with the lid on, after which the tea was transferred to a heated and stirred immersion tank. 60 Tea cups are immersed 25 times at 1-minute intervals in the prepared tea at a temperature of 70°C. The cups are then removed from the hooks and placed face down on a draining board to dry.

(2) Test results

The cleaning performance of the tablets against the tea soil prepared as described in (1) was visually scored by experts on a scale of 1 to 10 where "0" = no cleaning and "10" = complete stain removal. The tea scores were awarded for washing conditions of 55°C/16°d water hardness in the main wash cycle (i.e. "hard conditions") and also 55°C/3°d water hardness. The dishwashing machine used was a Miele G 590 (universal program). The following Table shows the effectiveness of the tablets E1 and E2 in removing tea stains compared with an unfilled tablet V.

	V	E1	E2
<u>Tea score 3° d</u>	7.0	10.0	10.0
<u>Tea score 16°d</u>	4.7	8.2	7.6

The results show that tablets E1 and E2 according to the invention are far superior to the comparison tablet V in removing tea stains.

In another Example based on the teaching of German patent application **DE 197 27 073.5**, dichloroisocyanuric acid (DICA) was encapsulated in paraffin in accordance with the following formulation:

- | | | |
|---|--------------------|---------------|
| 5 | DICA | 35% by weight |
| | Tylose MH 50 | 15% by weight |
| | Paraffin (57-60°C) | 50% by weight |

- 10 1.3 g of the bleaching agent encapsulated in this way were introduced into the recess of the above-described tablet and compressed to form a solid core. The cleaning performance of the Tablets E3 produced in this way as tested under the conditions described above was 10.0 (3° dH) or 8.5 (16° dH).

CLAIMS

1. A shaped body containing builders, alkali sources, bleaching agents, enzymes and surfactants, characterized in that more than 80% by weight of a mixture of active substance (I) in the form of a bleaching agent from the group of chlorine bleaching agents and a fusible component for controlling solubility selected from the group of surfactants, paraffins, microwaxes and relatively high molecular weight polyethylene glycols is contained in a region of no greater than 40% by volume.
2. A shaped body as claimed in claim 1, characterized in that a region of 1 to 30% by volume, preferably between 2 and 25% by volume and more preferably between 3 and 20% by volume of the shaped body contains more than 90% by weight, preferably more than 95% by weight and more preferably 100% by weight of an ingredient (I) present.
3. A shaped body as claimed in claim 1, characterized in that the ingredient (I) is a mixture of bleaching agent from the group of chlorine bleaching agents and another ingredient from the group consisting of bleach activator and/or silver protector and/or enzyme and/or a component for controlling solubility and/or other ingredients.
4. A shaped body as claimed in any of the preceding claims, characterized in that at least one bleaching agent selected from the group of trichlorocyanuric acids, dichloro- or monochlorocyanurates, hypochlorites and other typical chlorine-containing bleaching agents is present.
5. A shaped body as claimed in any of the preceding claims, characterized in that the fusible component is a paraffin.
6. A shaped body as claimed in claim 5, characterized in that the paraffin has a melting point of more than 40-44°C, preferably more than 46-48°C and more preferably between 57 and 60°C.
7. A shaped body as claimed in any of the preceding claims, characterized in that one or more builders from the group of gluconates, low molecular weight polycarboxylic acids and salts thereof,

homopolymeric and copolymeric polycarboxylic acids and salts thereof, carbonates, phosphates and silicates, preferably trisodium citrate and/or pentasodium triphosphate and/or sodium carbonate and/or sodium bicarbonate and/or gluconates and/or silicate builders from the class of disilicates and/or metasilicates is/are also used.

8. A shaped body as claimed in any of the preceding claims, characterized in that it contains a mixture of triphosphate and/or sodium carbonate and/or sodium disilicate as builder system.

9. A shaped body as claimed in any of the preceding claims, characterized in that the surfactants are selected from the group of nonionic surfactants, preferably low-foaming nonionic surfactants, more preferably alkoxylated and/or propoxylated fatty alcohols, alkyl polyglycosides, alkyl polyglucamides and/or mixtures of the surfactants mentioned.

10. A shaped body as claimed in any of the preceding claims, characterized in that at least one silver protector selected from the group of triazoles, benzotriazoles, bis-benzotriazoles, aminotriazoles, alkylaminotriazoles and transition metal salts or complexes, preferably benzotriazole and/or alkyl aminotriazole, is additionally present.

11. A shaped body as claimed in claim 10, characterized in that the transition metal salts are selected from the group of manganese and/or cobalt salts and/or complexes, preferably cobalt (ammine) complexes, cobalt (acetate) complexes, cobalt (carbonyl) complexes, chlorides of cobalt or manganese and manganese sulfate.

12. A shaped body as claimed in any of the preceding claims, characterized in that the component and/or components for controlling solubility are selected from the group of paraffins, microwaxes and high molecular weight polyethylene glycols.

13. A shaped body as claimed in any of claims 1 to 13, characterized in that the component and/or components for controlling solubility are selected from the group of organic acids, for example citric acid, or a citric

acid/bicarbonate mixture and/or celluloses and cellulose derivatives.

14. A shaped body as claimed in any of the preceding claims, characterized in that one of the bleaching components or the bleaching component, more particularly the chlorine component, is not made up in
5 one phase with the perfume component.

15. A shaped body as claimed in any of the preceding claims, characterized in that the silver protector is not made up with (any of) the bleaching component(s).

16. A shaped body as claimed in any of the preceding claims,
10 characterized in that one of the components, or the component, for controlling solubility is made up together with the bleach activator.

17. A shaped body as claimed in any of the preceding claims, characterized in that one of the components, or the component, for controlling solubility is made up together with the enzymes.

18. A shaped body as claimed in any of the preceding claims,
15 characterized in that one of the components, or the component, for controlling solubility is made up together with the bleaching agent.


19. A shaped body as claimed in any of the preceding claims, characterized in that one of the components, or the component, for
20 controlling solubility is made up together with the silver protector component.

20. A shaped body as claimed in any of the preceding claims, characterized in that one of the components, or the component, for controlling solubility is made up together with at least 50% by weight,
25 preferably with more than 70% by weight and, more preferably, with more than 90% by weight of a surfactant or the mixture of surfactants as a whole.

Dishwasher Detergent Shaped Bodies Containing Chlorine Bleaching Agents

The invention relates to shaped bodies containing builders, alkali sources, bleaching agents, enzymes and surfactants. Particularly high-performance detergent shaped bodies with high stability in storage, a good perfume profile and a defined solubility profile are obtained if more than 80% by weight of the total content of a mixture of active substance (I) in the form of a bleaching agent from the group of chlorine bleaching agents and a fusible component for controlling solubility selected from the group of surfactants, paraffins, microwaxes and relatively high molecular weight polyethylene glycols is present in a region which makes up no more than 40% by volume of the shaped body.

Type a plus sign (+) inside this box - ☐



U.S. Department of Commerce
Patent and Trademark Office

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION

☐ Declaration Submitted with Initial Filing OR ☐ Declaration Submitted after Initial Filing

Attorney Docket Number	H 3174 PCT/US
First Named Inventor	HAERER, Juergen
COMPLETE IF KNOWN	
Application Number	
Filing Date	
Group Art Unit	
Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SHAPED BODIES OF DISHWASHING DETERGENT WITH CHLORINE BLEACHING AGENTS

(Title of the Invention)

the specification of which

☐ is attached hereto

OR

☒ was filed on (MM/DD/YYYY) 12/21/1998 as United States Application Number or PCT International

Application Number PCT/EP98/08372 and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations, § 1.56

I hereby claim foreign priority benefits under Title 35, United States Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT International application having a filing date before that of the application on which priority is claimed

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
197 58 178.1	Germany	12/30/1997	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority sheet attached hereto:

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below.


Application Number(s)	Filing Date (MM/DD/YYYY)	Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.
		<input type="checkbox"/>

Burden Hour Statement: This form is estimated to take 4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

DECLARATION

Page 2

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §112.1 acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
	PCT/EP98/08372	12/21/1998	

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet attached hereto.

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

<input type="checkbox"/> Firm Name	<input type="text"/>	Customer Number or label	<input type="text"/>
OR			
<input checked="" type="checkbox"/> List Attorney(s) and/or agent(s) name and registration number below:			

Name	Registration Number	Name	Registration Number
Ernest G. Szoke	22,135	Glenn E. J. Murphy	33,539
Wayne C. Jaeschke	21,062	Stephen D. Harper	33,243
John E. Drach	32,891		


☐ Additional attorney(s) and/or agent(s) named on a supplemental sheet attached hereto.

Please direct all correspondence to:	<input type="checkbox"/> Customer Number or label	OR <input checked="" type="checkbox"/> Fill in correspondence address below
--------------------------------------	---	---

Name	Glenn E. J. Murphy		
Address	Henkel Corporation - Patent Department		
Address	2500 Renaissance Boulevard, Suite 200		
City	Gulph Mills	State	PA
Country	USA	Telephone	610-278-4926
		Fax	610-278-6548

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor: ☐ A petition has been filed for this unsigned

Given Name	Juergen	Middle Initial		Family Name	HAERER	Suffix e.g. Jr.	
Inventor's Signature					Date	December 10, 1999	
Residence: City	Duesseldorf	State		Country	Germany	Citizenship	Germany
Post Office Address	Leinenweberweg 20						
Post Office Address							
City	40593 Duesseldorf	State		Zip		Country	Germany
						Applicant Authority	

☒ Additional inventors are being named on supplemental sheet(s) attached hereto

MAY 08 2000

DECLARATION

ADDITIONAL INVENTOR(S)
Supplemental Sheet

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
Name

Thomas Otto

Middle
InitialFamily
Name

GASSENMEIER

Suffix
e.g. Jr.Inventor's
Signature

Thomas Otto Gassenmeier

Date

December 10, 1999

Residence:
City

Duesseldorf

State

Country

Germany

Citizenship

Germany

Post Office Address

Am Straussenkreuz 13

Post Office Address

City

40229 Duesseldorf

State

Zip

Country

Germany

Applicant
Authority

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
Name

Christian

Middle
InitialFamily
Name

NITSCH

Suffix
e.g. Jr.Inventor's
Signature

Christian Nitsch

Date

December 10, 1999

Residence:
City

Duesseldorf

State

Country

Germany

Citizenship

Germany

Post Office Address

Otto-Hahn-Strasse 185

Post Office Address

City

40591 Duesseldorf

State

Zip

Country

Germany

Applicant
Authority

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
Name

Hans-Josef

Middle
InitialFamily
Name

BEAUJEAN

Suffix
e.g. Jr.Inventor's
Signature

Hans-Josef Beaujean

Date

December 10, 1999

Residence:
City

Dormagen

State

Country

Germany

Citizenship

Germany

Post Office Address

Carl-Friedrich-Schinkel-Strasse 43

Post Office Address

City

41539 Dormagen

State

Zip

Country

Germany

Applicant
Authority

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
Name

Bernd

Middle
InitialFamily
Name

RICHTER

Suffix
e.g. Jr.Inventor's
Signature

Bernd Richter

Date

December 10, 1999

Residence:
City

Leichlingen

State

Country

Germany

Citizenship

Germany

Post Office Address

In den Weiden 61

Post Office Address

City

42799 Leichlingen

State

Zip

Country

Germany

Applicant
Authority

Additional inventors are being named on supplemental sheet(s) attached hereto

MAY 08 2000

DECLARATION

ADDITIONAL INVENTOR(S)
Supplemental Sheet

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
Name

Thomas

Middle
InitialFamily
Name

MOELLER

Suffix
e.g. Jr.Inventor's
Signature

Thomas Moeller

Date

December 10, 1999

Residence:
City

Duesseldorf

State

Country

Germany

Citizenship

Germany

Post Office Address

Goepfinger Strasse 4

DEX

Post Office Address

City

40593 Duesseldorf

State

Zip

Country

Germany

Applicant
Authority

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
NameMiddle
InitialFamily
NameSuffix
e.g. Jr.Inventor's
Signature

Date

Residence:
City

State

Country

Citizenship

Post Office Address

Post Office Address

City

State

Zip

Country

Applicant
Authority

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
NameMiddle
InitialFamily
NameSuffix
e.g. Jr.Inventor's
Signature

Date

Residence:
City

State

Country

Citizenship

Post Office Address

Post Office Address

City

State

Zip

Country

Applicant
Authority

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
NameMiddle
InitialFamily
NameSuffix
e.g. Jr.Inventor's
Signature

Date

Residence:
City

State

Country

Citizenship

Post Office Address

Post Office Address

City

State

Zip

Country

Applicant
Authority

Additional inventors are being named on supplemental sheet(s) attached hereto